## SAFETY DATA SHEET

# TG.C101.500.TM Trade Mark Citrus Based Cleaner Aerosol

According to Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice, December 2011,

#### SECTION 1: Identification: Product identifier and chemical identity

**Product identifier** 

Product name TG.C101.500.TM Trade Mark Citrus Based Cleaner Aerosol

Relevant identified uses of the substance or mixture and uses advised against

**Application** Aerosol.

Details of the supplier of the safety data sheet

Supplier Global Trade Supplies

7 Daisy St, Revesby NSW 2212

(02) 9774 4545

**Emergency telephone number** 

Emergency telephone National Poison Line AU 13 11 26

## SECTION 2: Hazard(s) identification

#### Classification of the substance or mixture

Physical hazards Aerosol 1 - H222, H229 Press. Gas, Compressed - H280

Health hazards Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Asp. Tox. 1 - H304

Environmental hazards Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

## Label elements

## **Pictogram**











Signal word Danger

Hazard statements H229 Pressurised container: may burst if heated

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

**Additional information** For professional users only.

Precautionary statements P210 Keep away from heat/ sparks/ open flames/ hot surfaces. - No smoking.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P501 Dispose of contents/ container in accordance with national regulations.

Contains d-LIMONENE, NAPHTHA (PETROLEUM) HYDROTREATED HEAVY

### Other hazards

Pressurized container: Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

## SECTION 3: Composition and information on ingredients

#### **Mixtures**

d-LIMONENE 30-60%

CAS number: 5989-27-5

M factor (Acute) = 1 M factor (Chronic) = 1

Classification

Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Skin Sens. 1 - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

# NAPHTHA (PETROLEUM) HYDROTREATED HEAVY

10-30%

CAS number: 64742-48-9

Classification

Flam. Liq. 3 - H226 Asp. Tox. 1 - H304

#### Petroleum gases, liquefied

10-30%

CAS number: 68476-85-7

Classification

Flam. Gas 1 - H220

Press. Gas, Compressed - H280

Acetone 5-10%

CAS number: 67-64-1

Classification

Flam. Liq. 2 - H225 Eye Irrit. 2A - H319

STOT SE 3 - H336

The full text for all hazard statements is displayed in Section 16.

#### SECTION 4: First aid measures

#### Description of first aid measures

personnel.

Inhalation Remove affected person from source of contamination. Move affected person to fresh air and

keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on

their side in the recovery position and ensure breathing can take place.

#### TG.C101.500.TM Trade Mark Citrus Based Cleaner Aerosol

**Ingestion** Rinse mouth thoroughly with water. Give plenty of water to drink. Stop if the affected person

feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take

place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.

Skin Contact It is important to remove the substance from the skin immediately. In the event of any

sensitisation symptoms developing, ensure further exposure is avoided. Remove

contamination with soap and water or recognised skin cleansing agent. Continue to rinse for

at least 15 minutes. If adhesive bonding occurs, do not force skin apart.

Eye contact Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do.

Continue rinsing. Continue to rinse for at least 15 minutes and get medical attention. If

adhesive bonding occurs, do not force eyelids apart.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue. Wash

contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth

resuscitation.

#### Most important symptoms and effects, both acute and delayed

**General information** See Section 11 for additional information on health hazards. The severity of the symptoms

described will vary dependent on the concentration and the length of exposure.

**Inhalation** May cause respiratory system irritation.

**Ingestion** May cause discomfort if swallowed.

**Skin contact** Skin irritation.

**Eye contact** May cause severe eye irritation.

Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

#### SECTION 5: Firefighting measures

# Extinguishing media

Suitable extinguishing media The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder

or water fog. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

# Special hazards arising from the substance or mixture

Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up.

Bursting aerosol containers may be propelled from a fire at high speed. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and

propellant. Vapours may form explosive mixtures with air.

Hazardous combustion

products

Toxic gases or vapours.

### Advice for firefighters

Protective actions during

firefighting

Use water to keep fire exposed containers cool and disperse vapours. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without

risk.

## TG.C101.500.TM Trade Mark Citrus Based Cleaner Aerosol

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

**Hazchem Code** 

2YE

#### SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions

Provide adequate ventilation. Avoid contact with eyes and prolonged skin contact. Follow precautions for safe handling described in this safety data sheet. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant.

#### **Environmental precautions**

**Environmental precautions** 

Contain spillage with sand, earth or other suitable non-combustible material. Do not discharge into drains or watercourses or onto the ground.

#### Methods and material for containment and cleaning up

Methods for cleaning up

Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Leave small quantities to evaporate, if safe to do so. Do not allow material to enter confined spaces, due to the risk of explosion.

#### Reference to other sections

Reference to other sections

For personal protection, see Section 8. For waste disposal, see Section 13.

#### SECTION 7: Handling and storage, including how the chemical may be safely used

## Precautions for safe handling

Usage precautions

For professional users only. Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Avoid exposing aerosol containers to high temperatures or direct sunlight. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Spray will evaporate and cool rapidly and may cause frostbite or cold burns if in contact with skin. Avoid contact with eyes.

Advice on general occupational hygiene Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.

#### Conditions for safe storage, including any incompatibilities

Storage precautions

Store at temperatures between 10°C and 25°C. Store away from incompatible materials (see Section 10). Store in accordance with national regulations. Keep away from oxidising materials, heat and flames. Keep only in the original container. Keep container tightly closed and in a well-ventilated place. Keep containers upright. Protect containers from damage. Protect from sunlight. Do not store near heat sources or expose to high temperatures. Do not expose to temperatures exceeding 50 °C/ 122 °F. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.

Storage class

Flammable compressed gas storage.

#### Specific end use(s)

Specific end use(s)

No data available.

## SECTION 8: Exposure controls and personal protection

#### **Control parameters**

## Occupational exposure limits

## Petroleum gases, liquefied

Long-term exposure limit (8-hour TWA): 1000 ppm 1800 mg/m<sup>3</sup>

Carc. 1B

#### Acetone

Long-term exposure limit (8-hour TWA): 500 ppm 1185 mg/m³ Short-term exposure limit (15-minute): 1000 ppm 2375 mg/m³ Carc. 1B = Presumed to have carcinogenic potential for humans.

#### **Exposure controls**

## Protective equipment







# Appropriate engineering controls

Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure the ventilation system is regularly maintained and tested. As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapour or mist.

## Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with Australia/New Zealand Standard AS/NZS 1337. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

## Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with Australia/New Zealand Standard AS/NZS 2161. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

# Other skin and body protection

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.

# Hygiene measures

Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.

## TG.C101.500.TM Trade Mark Citrus Based Cleaner Aerosol

Respiratory protection Respiratory protection complying with an approved standard should be worn if a risk

assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and complies with Australia/New Zealand Standard AS/NZS 1716. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Half mask and quarter mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS

1716.

**Environmental exposure** 

controls

Keep container tightly sealed when not in use.

# SECTION 9: Physical and chemical properties

# Information on basic physical and chemical properties

Appearance Aerosol.

**Colour** Clear liquid.

Odour Characteristic.

Odour threshold Not available.

**pH** Not available.

Melting point Not available.

**Initial boiling point and range** Not available.

Flash point Not available.

**Evaporation rate** Not available.

**Evaporation factor** Not available.

Flammability (solid, gas) Not available.

Flammability Limit - Lower(%) Not available.

Vapour pressure Not available.

Vapour density Not available.

Relative density Not available.

Solubility Value (g/100g H2O

20°C)

Not available.

Partition coefficient Not available.

Auto-ignition temperature Not available.

**Decomposition Temperature** Not available.

Viscosity Not available.

**Explosive properties** Not considered to be explosive.

Oxidising properties Does not meet the criteria for classification as oxidising.

Other information No information required.

## SECTION 10: Stability and reactivity

#### TG.C101.500.TM Trade Mark Citrus Based Cleaner Aerosol

**Reactivity** Stable at normal ambient temperatures and when used as recommended.

Stable at normal ambient temperatures and when used as recommended. Stable under the

prescribed storage conditions.

Possibility of hazardous

reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

**Conditions to avoid** Avoid heat, flames and other sources of ignition. Avoid contact with the following materials:

Strong alkalis. Acids. Oxidising agents.

Materials to avoid Avoid contact with acids and alkalis. Oxidising agents.

Hazardous decomposition

products

Very toxic gases or vapours.

## SECTION 11: Toxicological information

#### Information on toxicological effects

Other health effects No data available.

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC50) Based on available data the classification criteria are not met.

Skin corrosion/irritation

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

Skin sensitisation

**Skin sensitisation** May cause an allergic skin reaction.

Germ cell mutagenicity

**Genotoxicity - in vitro**Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met.

Reproductive toxicity -

development

Based on available data the classification criteria are not met.

# Specific target organ toxicity - single exposure

STOT - single exposure May cause drowsiness or dizziness.

Target organs Central nervous system

## TG.C101.500.TM Trade Mark Citrus Based Cleaner Aerosol

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

**Aspiration hazard** May be fatal if swallowed and enters airways.

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

**Inhalation** During application and drying, solvent vapours will be emitted. Vapours in high concentrations

are narcotic.

**Ingestion** Due to the physical nature of this product, it is unlikely that ingestion will occur. Entry into the

lungs following ingestion or vomiting may cause chemical pneumonitis.

Skin Contact Bonds skin and eyes in seconds. May cause skin sensitisation or allergic reactions in

sensitive individuals. Redness. Irritating to skin.

**Eye contact** Bonds skin and eyes in seconds. May be slightly irritating to eyes. May cause discomfort.

## SECTION 12: Ecological Information

**Toxicity** Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.

Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

Bioaccumulative potential

**Bioaccumulative Potential** No data available on bioaccumulation.

Partition coefficient Not available.

Mobility in soil

Mobility The product contains volatile organic compounds (VOCs) which will evaporate easily from all

surfaces.

Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects None known.

## SECTION 13: Disposal considerations

### Waste treatment methods

General information

The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

#### Disposal methods

Do not empty into drains. Empty containers must not be punctured or incinerated because of the risk of an explosion. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents.

## **SECTION 14: Transport information**

## **UN number**

UN No. (ADG) 1950 UN No. (IMDG) 1950 UN No. (ICAO) 1950

# UN proper shipping name

Proper shipping name (ADG) AEROSOLS
Proper shipping name AEROSOLS

(IMDG)

Proper shipping name (ICAO) AEROSOLS

## Transport hazard class(es)

ADG class 2.1

ADG classification code 5F

ADG label 2.1

IMDG class 2.1

ICAO class/division 2.1

## Transport labels



## Packing group

ADG packing group None

IMDG packing group None

ICAO packing group None

## **Environmental hazards**

Environmentally hazardous substance/marine pollutant



## Special precautions for user

EmS F-D, S-U

Hazchem Code 2YE

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

#### SECTION 15: Regulatory information

# Safety, health and environmental regulations/legislation specific for the substance or mixture

Guidance Workplace Exposure Limits EH40.

Introduction to Local Exhaust Ventilation HS(G)37.

## SECTION 16: Any other relevant information

Classification abbreviations

and acronyms

Aerosol = Aerosol

Skin Irrit. = Skin irritation

Skin Sens. = Skin sensitisation Asp. Tox. = Aspiration hazard

Aquatic Chronic = Hazardous to the aquatic environment (chronic)

Training advice Read and follow manufacturer's recommendations. Only trained personnel should use this

material.

Revision date 19/09/2016

Revision 3

Supersedes date 19/09/2016

**SDS No.** 21830

Hazard statements in full H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H229 Pressurised container: may burst if heated

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.